
IGC 21F A+B 会议室（1 号屏）

HIKVISION DS-D4012CW-2F LED Display - Dimension Reference

21F A+B | Screen size: 8400 x 2362.5 mm | 32:9 (2 x 16:9) | No mounting bracket shown


Unit: mm

Front View




Flat LED screen / 14 x 7 cabinet layout

Installation Elevation



Proposed screen bottom: 500 mm above finished floor

LED Cabinet Reference



Cabinet: 480 x 270 pixels

14 columns x 7 rows

Total: 98 cabinets

Screen: 6720 x 1890 pixels

Each half: 3360 x 1890 pixels


Pixel pitch: 1.25 mm (P1.2)


Notes


1. Each grid cell represents one 600 x 337.5 mm cabinet.
2. Two equal 16:9 areas, each 4200 x 2362.5 mm.
3. Clear height: 3000 mm; screen bottom: 500 mm; top gap: 137.5 mm.
4. Bracket and trim omitted; final mounting details require confirmation.

LED Width X Height :8.4m x 2.3625m,Video Wall Weight+Bracket Weight:471.2kg


IGC 21F 接待区（3 号屏）







LED Unit Dimension



⚠ Tip

You should reserve 30 to 50 mm spare room for display when installing the bracket.
There may be 1 to 2 mm deviation between each column of the bracket.
This is for reference only. The actual bracket drawing should be based on material drawing.

LED Width X Height :3.6m x 2.025m, Video Wall Weight+Bracket Weight:166.5kg


IGC 21F 弧形屏（4 号屏）

HIKVISION P1.2 Curved LED Display - Dimension Reference

Developed screen size: 2560 x 1440 mm | 16:9 | No mounting bracket shown


Unit: mm

Developed Front View



Unrolled screen / module layout reference

Curved Screen View



Convex curved face - no rear frame or bracket

LED Module Reference



8 columns x 9 rows

Reference layout: 72 modules

Notes

1. Grid lines indicate module layout, not confirmed cabinet joints.
2. Bracket, rear frame, fixing details and installation clearances are omitted.
3. Curve follows the prior R695 layout; straight section adjusted to 2560 total.
4. Reference only. Cabinet structure and mounting require detailed design.

IGC 21F | Curved LED screen | No-bracket dimensional reference

2026-11-10

LED Width X Height :2.56m x 1.44m, Video Wall Weight+Bracket Weight:86.7kg


ICC 51F 接待区（1 号屏）

HIKVISION DS-D4012CW-2F LED Display - Dimension Reference

51F | Screen size: 4200 x 2362.5 mm | 16:9 | No mounting bracket shown


Unit: mm

Front View




Flat LED screen / 7 x 7 cabinet layout

Installation Elevation



Proposed screen bottom: 500 mm above finished floor

LED Cabinet Reference



Cabinet: 480 x 270 pixels

7 columns x 7 rows

Total: 49 cabinets

Screen: 3360 x 1890 pixels

Pixel pitch: 1.25 mm (P1.2)

Notes

1. Each grid cell represents one 600 x 337.5 mm cabinet.
2. Full screen: 4200 x 2362.5 mm, with a 16:9 aspect ratio.
3. Clear height: 3000 mm; screen bottom: 500 mm; top gap: 137.5 mm.
4. Bracket and trim omitted; final mounting details require confirmation.

51F | DS-D4012CW-2F | Selected option 2 | No-bracket dimensional reference

2026-11-10

LED Width X Height :4.2m x 2.3625m, Video Wall Weight+Bracket Weight:236.2kg